BRAND GUIDELINES

HOW WE LOOK

This guide provides the tools to maintain the integrity of our brands. Correct and consistent use of our brands is essential to our reputation. Use this guide to create marketing, promotional, and publicity materials, both in print and digitally. This document is not intended to cover all situations. Please consult with the Portrait Displays Marketing Department for clarification and approval in the use of any of our identities.

VERSION 4.0

Portrait Displays® is the company name. Note that "Displays" is plural. If it is possessive, the apostrophe goes after the last "s", e.g., Portrait Displays'. The formal name of the company is Portrait Displays, Inc.

Portrait Displays is a registered trademark of Portrait Displays, Inc.

Calman is a registered trademark of Portrait Displays, Inc.



portrait displays



INTEGRATED SOLUTIONS



Display device is verified by Portrait Displays to produce accurate color right out of the box for immediate consumer content creation.



Calman calibration software seamlessly communicates to display devices and uploads calibration adjustments to the display automatically.



Allows display device to self-calibrate utilizing Calman's calibration engine built directly into the device.

FULL AND SINGLE COLOR

Preferred use.





🗞 calman



When printing a single color.











01 Space around the logo

Always leave the logo some space to breathe. Try to use white or neutral backgrounds.

02 If you have to...

If it's unavoidable to sit the logo on a color or a photo, use the negative logo.

03 Not right Do not rotate

the logo.

04 Color clash

Do not place the logo on the wrong colors.

05 Not good

Do not use the negative logo on backgrounds that are too light or cluttered.

06 Don't

Do not add embellishments like drop-shadows, embossings, 3D etc. to the logo.




02











The tag line, "Driven by color. Backed by science." should appear below the Portrait Displays logo in Open Sans Regular Italic. The logo and tag line combined, are available as a single image to assure consistent use. **TAG LINE**



Driven by color. Backed by science.

The minimum exclusion zone margin is based on the dimensions of logo graphic. A clearspace of one x-height must be maintained on all sides.

On all sides, the exclusion zone should be measured from the farthest edge of the logo. No element, other than our tag line, may encroach on this space.

EXCLUSION ZONES







MINIMUM SIZE

PORTRAIT DISPLAYS

The Portrait Displays logo must not be reproduced at a size smaller than 15mm in height.

The Calman brand must not be reproduced at a size smaller than 10mm in height.

The Calman integrated solution brands must not be reproduced at a size smaller than 15mm in height.



15mm min.

🚸 calman

10mm min.



15mm min.

When listing the TV's features, it is easy to point out the value of Calman and the simple calibration process that maintains the color fidelity throughout the life of the TV.

BRAND IMPLEMENTATION: WEBSITE



Use the Calman logo next to the TVs to highlight the calibration feature.

BRAND IMPLEMENTATION: TRADESHOW



Add the appropriate Calman logo to the list of features in your advertising to set your products apart from the competition.

BRAND IMPLEMENTATION: ADVERTISING



In a retail setting, the TV's features can be highlighted on pointof-purchase signage or product stickers.

BRAND IMPLEMENTATION: PRODUCT STICKER



In the retail setting of a bigbox store, the product packaging has become an important sales tool. Including the Calman logo in the list of premium features allows the TV to stand out of the crowd.


BRAND IMPLEMENTATION: PACKAGING



Software branding images.

Use these online, in print, email, etc., to identify our software products. They can stand alone, or be used in conjunction with a screenshot of the software.

SOFTWARE BADGES



COLORS

pantone cmyk rgb hex #	2915 60 : 0 : 0 : 0 51 : 199 : 255 32c7ff
pantone cmyk rgb hex #	375 70 : 0 : 100 : 0 0 : 221 : 0 00dd00
pantone cmyk rgb hex #	1235 0 : 20 : 100 : 0 255 : 201 : 0 ffc900
pantone cmyk rgb hex #	206 0 : 97 : 50 : 0 255 : 23 : 89 ff1759
cmyk rgb hex #	60 : 60 : 60 : 100 0: 0: 0 000000

Our corporate typeface is Open Sans. This full font family comes in a range of weights to suit a multitude of purposes. It is optimized for print, web, and mobile interfaces, and has excellent legibility characteristics in its letterforms. The default fallback corporate font is Arial which should be utilized to ensure acceptable degradation when Open Sans is unavailable.

Headline Fonts



ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz (.,;;?!£\$&@*) 0123456789

// Extrabold



ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz (.,;;?!£\$&@*) 0123456789

// Bold

Body Copy Fonts



ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz (,,;;?!£\$&@*) 0123456789

// Light

Aa

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz (.,;;?!£\$&@*) 0123456789

// Regular

TYPOGRAPHY



Driven by color. Backed by science.

Portrait Displays

4637 Chabot Drive, Suite 115 Pleasanton, CA 94588USA

+1 (925) 227-2700

portrait.com

Specifications subject to change without notice. Trademarks are property of their respective holders. © 2023 Portrait Displays, Inc. All rights reserved.